




# PRODUCT CATALOG

CONSTRUCTION MATERIALS LINE



# INDEX

Cellulose Ethers	03
Redispersible Polymer Powders	04
Calcium Formate	05
Polycarboxylate Ether Based Superplasticizers	06
Powder Based Defoamer	07
Gypsum Retarder	08
Iron Oxides	09








# CELLULOSE ETHERS

## KEY POINTS

Widely used in construction or building materials, paints, coatings, and several additional applications. Cellulose Ether is mainly used as a viscosity modifier, a highly efficient water retention agent, stabilizer, adhesives and films-forming agent, dispersing agent, emulsifier, thickener or binder.

- Hydroxyethyl Methyl Cellulose (HEMC)
- Hydroxypropyl Methyl Cellulose (HPMC)
- Hydroxyethyl Cellulose (HEC)
- Carboxy Methyl Cellulose (CMC)





# REDISPERSIBLE POLYMER POWDERS (RDP)

## KEY POINTS

Designed mainly for applications in construction products. Utilized to enhance and promote flexibility and adhesion properties for dry mortar blends, for use in a wide variety of climates. Our Redispersible Polymer Powders can provide a longer opening time, better adhesion in difficult substrates, lower water consumption, and improve abrasion as well as impact resistance.








# CALCIUM FORMATE

## KEY POINTS

Used as an additive for products such as grouts, mortars and cement, providing multiple properties for these applications. Some of these properties include: increased hardness, early strength, and an accelerated setting time in comparison to ordinary mixes or cements



# POLYCARBOXYLATE ETHER BASED SUPERPLASTICIZERS (PCE)

## KEY POINTS

Presentations include powder form, liquid or flakes.  
Advanced polymer based Superplasticizers to aid in the production of high performance concrete.  
Posses powerful dispersing effects, excellent fluidity retention and a high water reduction rate.  
Applications include dry mixed mortars, cement, gypsum and grouting materials.





# POWDER BASED DEFOAMER

## KEY POINTS

Our powder based Defoamers have excellent defoaming or antifoaming effects for a wide array of applications, including dry putty, self-leveling mortar, concrete systems, and cement joints. It exhibits a good fluidity, good mixing performance, long lasting for a good workability.







# GYPSUM RETARDER

## KEY POINTS

Our advanced Gypsum Retarder system extends the set time for a wide variety of plasters and for setting-type joint compounds. Our Gypsum Retarder allows more time to complete the job, by slowing the chemical crystal formation process that causes the hardening in plasters or joint compounds.







# IRON OXIDES

## KEY POINTS

Our Iron oxides are inorganic chemicals used as colorants for construction products. We offer standard colors or can match any color upon a custom request.

